Application No. 10/642,409 Amdt. dated 11/27/06 Response to Office Action mailed on 6/27/06

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently amended) A method for purifying polypeptide monomers from a mixture consisting essentially of said polypeptide monomers, and dimers or multimers of said polypeptide monomers or both dimers and multimers of said polypeptide monomers, wherein the method comprises:
- (a) applying the mixture to a cation-exchange or anion-exchange chromatography resin in a buffer, wherein if the resin is cation-exchange, the pH of the buffer is about 4-7, and wherein if the resin is anion-exchange, the pH of the buffer is about 6-9,
- (b) eluting the mixture at a gradient of about 0-1 M of an elution salt, wherein the monomer is purified from the dimers or multimers or both present in the mixture, and wherein the monomer yield is greater than 90%, and
- (c) recovering the monomer, wherein the polypeptide is anti-IgE, anti-IgG, anti-Her-2, anti-CD11a, anti-CD18, anti-CD20, anti-VEGF, or IgE.

Claims 2-4, canceled.

- 5. (original) The method of claim 1 wherein the ion-exchange resin is a cation-exchange resin.
- 6. (original) The method of claim 1 wherein the ion-exchange resin is an anion-exchange resin.
- 7. (original) The method of claim 1 wherein the gradient is linear.
- 8. (original) The method of claim 1 wherein the gradient is stepwise.
- 9. (original) The method of claim 1 wherein the elution salt is a sodium salt.
- 10. (original) The method of claim 9 wherein the elution salt is sodium chloride.
- 11. (original) The method of claim 1 wherein the gradient is from 0 to 500 mM elution salt.
- 12. (original) The method of claim 1 wherein the gradient is from 50 to 200 mM elution salt.
- 13. (original) The method of claim 1 wherein the gradient is from 0 to 50 mM elution salt.

Claims 14 and 15, canceled.